

Distortion and Autocorrelation Free Arrhenius Plots in Nuclear Multifragmentation

L. Beaulieu, L. Phair, L.G. Moretto and G.J. Wozniak

Nuclear Science Division, Lawrence Berkeley National Laboratory, Berkeley, California 94720

It has been shown that the probability P_n of emitting n intermediate mass fragments (IMFs) can be reduced to the probability of emitting a single fragment through the binomial equation [1]. The extracted elementary emission probabilities p were also shown to give linear Arrhenius plots when $\log 1/p$ is plotted vs $1/\sqrt{E_t}$. In the hypothesis that the temperature T is proportional to $\sqrt{E_t}$, these linear Arrhenius plots suggest that p has the Boltzmann form $p \propto \exp(-B/T)$ [1]. This *experimental* observation holds for many different reactions from reverse to normal kinematics and almost over the complete intermediate energy range.

The appeal of this comprehensive picture is marred by a number of open problems. So far, the binomial decomposition has been performed on the Z -integrated fragment multiplicities (IMF), typically associated with $3 \leq Z \leq 20$. Thus, the Arrhenius plot generated with the resulting one fragment probability p is an average over a range of Z values. A second “problem” lies in the transformation between the excitation E^* to the transverse energy E_t . It was shown that if the width associated with this transformation is too large, than the linearity of the Arrhenius plots constructed with the elementary probability p would be lost in the process [3]. While both binomial parameters p and m are individually susceptible to this problem, the product of the two, $\langle n \rangle = \langle mp \rangle$ has been shown to be very resilient to the averaging process [3]. Finally, the fact that IMFs as a category can contribute a fair amount to E_t , about 30% maximum for the Xe+Au at 50A MeV, has been pointed out as a possible source of autocorrelation between p and $\sqrt{E_t}$ leaving its interpretation questionable [4,5].

While the last two “problems” can be argued on the basis of the existing analysis [6], all of the above can be avoided by doing an analysis of the multiplicities for each fragment of charge Z [2]. For such an analysis, we have shown [2] that the multiplicity distributions are Poissonian and therefore reducible. The average yield per event $\langle n_Z \rangle$ gives linear Arrhenius plots as a function of $1/\sqrt{E_t}$. However, $\langle n_Z \rangle$ is now free of any distortion due to possible averaging going from E^* to E_t [3]. Also, because of the dominance of the zero fold probability, the contribution of a particular Z to E_t is very small $\leq 5\%$. Still, to be sure that there is no autocorrelation, we have repeated the analysis for Xe+Au at 50A MeV by: i) removing from E_t all contributions from the individual Z that we have selected (Fig. 1). ii) by using only the E_t of the light charge particles (Fig. 2). In both cases, the Arrhenius plots remain linear over 1 to 2 order of magnitude. These results are similar to those using the total

E_t and therefore we conclude that the linearity of the Arrhenius plots is due to a dominant phase space (thermal/statistical) emission process.




FIG. 1. The average yield per event of the different indicated elements (symbols) as a function of $1/\sqrt{E_t}$ for the Xe+Au reactions at 50A MeV. The transverse energy, E_t , is calculated for all charged particles excluding the individual Z we have selected. The lines are linear fits to the data.




FIG. 2. Same as Fig. 1 but now E_t is calculated only from the light charged particles (LCPs).

- [1] L.G. Moretto, *et al.*, Phys. Rep. **287**, 249 (1997).
- [2] L. Beaulieu *et al.*, LBNL-41075, submitted to Phys. Rev. Lett. See also the contribution to this annual report.
- [3] J. Toke *et al.*, Phys. Rev. C **56**, R1683 (1997).
- [4] M.B. Tsang *et al.*, accepted, Phys. Rev. Lett.
- [5] W. Skulski *et al.*, to appear in Proc. 13th Workshop on Nuclear Dynamics, Key West, Florida (1997).
- [6] L. Phair *et al.*, to be published. See also <http://csa5.lbl.gov/moretto/>